

1 Identification

- **Product identifier**
- **Trade name:** KATANA Zirconia, KATANA Zirconia Block, KATANA Zirconia ONE, KATANA Zirconia ONE For IMPLANT
- **Other means of identification**
- **Article number:** CA828, CA889, CA902, CA909
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Dental materials
- **Details of the supplier of the safety data sheet**
- **Contact information :**
Kuraray America, Inc.
32 Old Slip, 7th Floor, New York,
NY 10005 U.S.A.
Tel: 800-879-1676
Website: www.kuraraydental.com
- **Further information obtainable from:** Supplier
- **Emergency telephone number:**
CHEMTREC; day and night, within USA and Canada
1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard identification

- **Classification of the substance or mixture**
Carcinogenicity - Category 1A H350 May cause cancer.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Cobalt nickel gray periclase (CPMA)
- **Hazard statements**
H350 May cause cancer.
- **Precautionary statements**
 - P201 Obtain special instructions before use.
 - P202 Do not handle until all safety precautions have been read and understood.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 - P308+P313 IF exposed or concerned: Get medical advice/attention.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

*** 3 Composition/Information on ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

**Trade name: KATANA Zirconia, KATANA Zirconia Block,
KATANA Zirconia ONE, KATANA Zirconia ONE For IMPLANT**

· Dangerous components:

Cobalt nickel gray periclase (CPMA)	0-1% *
 Carcinogenicity - Category 1A, H350	

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** See Section 8.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways.
Vacuum or sweep material and place in a disposal container. Provide ventilation.
Use appropriate Personal Protective Equipment (PPE).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Avoid contact with skin and eyes, Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors /spray.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.

**Trade name: KATANA Zirconia, KATANA Zirconia Block,
KATANA Zirconia ONE, KATANA Zirconia ONE For IMPLANT**

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store at 10 - 30 °C
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/ Personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

1314-23-4 zirconium dioxide

EL	STEL: 10 mg/m ³ TWA: 5 mg/m ³ as Zr
----	---

1314-36-9 yttrium oxide

EL	TWA: 1 mg/m ³ as Y
----	----------------------------------

13463-67-7 titanium dioxide

EL	TWA: 10* 3** mg/m ³ IARC 2B, +total dust; **resp. fraction
EV	TWA: 10 mg/m ³ total dust

12055-23-1 hafnium dioxide

EL	TWA: 0.5 mg/m ³ as Hf
----	-------------------------------------

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
- **Breathing equipment:** Suitable respiratory protective device recommended.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/
the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Trade name: KATANA Zirconia, KATANA Zirconia Block,
KATANA Zirconia ONE, KATANA Zirconia ONE For IMPLANT**

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state	Solid
· Color:	Colored
· Odor:	Odorless
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	Not determined.
· Flammability:	Product is not flammable.
· Explosion limits:	
· Lower:	Not applicable.
· Upper:	Not applicable.
· Flash point:	Not applicable
· Auto ignition temperature:	Not applicable.
· Decomposition temperature:	Not applicable.
· pH-value:	Not determined.
· Kinematic viscosity	Not applicable.
· Solubility in / Miscibility with	
· Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not applicable.
· Vapor pressure:	Not applicable.
· Density:	KATANA Zirconia 6.0 g/cm ³ (at 20 °C) Block, ONE, ONE For IMPLANT 3.3 g/cm ³ (at 20 °C)
· Relative vapor density	Not applicable.
· Particle characteristics	Not determined.

· Other information

· Important information on protection of health and environment, and on safety.

· Danger of explosion: Product does not present an explosion hazard.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** No hazardous reaction when handled and stored according to provisions.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**Trade name: KATANA Zirconia, KATANA Zirconia Block,
KATANA Zirconia ONE, KATANA Zirconia ONE For IMPLANT**

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Specific symptoms in biological assay:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** No sensitizing effects known.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - single exposure**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

Cobalt nickel gray periclase (CPMA)	1
-------------------------------------	---

- **NTP (National Toxicology Program)**

Cobalt nickel gray periclase (CPMA)	K
-------------------------------------	---

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Carcinogenicity - Category 1A

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.

**Trade name: KATANA Zirconia, KATANA Zirconia Block,
KATANA Zirconia ONE, KATANA Zirconia ONE For IMPLANT**

14 Transport information

· UN-Number	Void
· DOT/TDG, ADR, IMDG, IATA	Void
· UN proper shipping name	Void
· DOT/TDG, ADR, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT/TDG, ADR, IMDG, IATA	
· Class	Void
· Packing group	
· DOT/TDG, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Special precautions for user	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)	
1314-23-4	zirconium dioxide
1314-36-9	yttrium oxide
13463-67-7	titanium dioxide
12055-23-1	hafnium dioxide

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H350 May cause cancer.

· Date of previous version 02/07/2025

· Version number of previous version: 4

· Date of preparation 04/10/2025

**Trade name: KATANA Zirconia, KATANA Zirconia Block,
KATANA Zirconia ONE, KATANA Zirconia ONE For IMPLANT**

· **Abbreviations and acronyms:**

DOT: US Department of Transportation

ELINCS: European List of Notified Chemical Substances

· *** Data compared to the previous version altered.**